

## LIST OF PUBLICATIONS

### BOOKS

1. Beya Wakata, A.S., Kouam, S.F., Kinge, R.T., Nguelefack, T.B., Ngefac, A. (eds.). The Transformative Development of Postcolonial Africa: Voices from Pure and Natural Scientists. Cambridge Scholars Publishing. 2024. ISBN 1036403122, 9781036403126
2. Saxena H.M., Kouam S.F. (eds.). One Health Perspective on Antimicrobial Resistance and Some Strategies for its Mitigation, Allied Publishers, Pvt. Ltd. 2021.

### BOOK CHAPTERS

3. Tchamgoue, J. and **Kouam, S.F.** (2024). Future and Promising Targets in the Chemical Investigation of Natural Resources in Cameroon. In: Beya Wakata et al. (eds). The Transformative Development of Postcolonial Africa: Voices from Pure and Natural Scientists. Cambridge Scholars Publishing.
4. Tchamgoue, J., Ngandjui, Y.A.T., Talla, R.M., Ambamba, B.D.A., Tchouankeu, J.C., **Kouam, S.F.** (2023). Extraction of Phytoconstituents for Lifestyle Diseases. In: Dhara, A.K., Mandal, S.C. (eds) Role of Herbal Medicines. Springer, Singapore.  
[https://doi.org/10.1007/978-981-99-7703-1\\_3](https://doi.org/10.1007/978-981-99-7703-1_3)
5. Ngandjui, Y.A.T., Tchamgoue, J., Kagho, D.U.K., Msagati, T.A.M., Ngameni, B., **Kouam, S.F.** (2023). Chemical Characterization of Phytoconstituents for Lifestyle Diseases. In: Dhara, A.K., Mandal, S.C. (eds) Role of Herbal Medicines. Springer, Singapore.  
[https://doi.org/10.1007/978-981-99-7703-1\\_4](https://doi.org/10.1007/978-981-99-7703-1_4)

### ARTICLES

6. Djugap, J.F., Mbatkam, B., Kouam, S.F., Nouteka, N.J., Kuenbou, J.M., Teponno, R.B. 2024. Bioactivity of some endophytic fungi from cameroonian medicinal plants against *Verticillium alboatrum*, *Rhizoctonia carotae* and *Phytophthora megakarya* Int. J. Phytopathol. 13(01), 2022. doi: 10.33687/phytopath.013.01.4718
7. Tsafack, V.C., Dongmo, A.K., Nono, R.N., Tabekoueng, G.B., Neumann, B., Stammmer, H.-G., Bankeu, J.K., Kouam, S.F., Nkeng-Efouet-Alango, P., Lenta, B.N., Norbert Sewald, N., Chouna, J.R. (2024). Bioactive constituents of the stem bark of *Bersama abyssinica* Fresen subsp. *abyssinica* Verdc. (Melianthaceae). Phytochemistry Letters 59, 53-58.  
[https://doi.org/10.1016/j.phytol.2023.12.003Get rights and content](https://doi.org/10.1016/j.phytol.2023.12.003)
8. Tchamgoue, J., Tchokokam, Y.R.W., Ngouonpe, A.W., Ngandjui, Y.A.T., Tiani, G.L.M., Msagati, T.A.M., Ngadjui, B.T., Green, I.R., Kouam, S.F. (2024). The genus *Canthium*: A comprehensive summary on its traditional use, phytochemistry, and pharmacological activities. Fitoterapia 172, 105754. <https://doi.org/10.1016/j.fitote.2023.105754>
9. Mountessou, B.Y.G., Anoumedem, E.G.M., Matio Kemkuignou, B., Marin-Felix, Y., Surup, F., Stadler, M., Kouam S.F., (2023). Secondary metabolites of Diaporthe cameroonensis isolated from the Cameroonian medicinal plant Trema guineensis. Beilstein J. Org. Chem. 19, 1555–1561 <https://doi.org/10.3762/bxiv.2023.12.v1>
10. Lambert, C., Schweizer, L., Matio Kemkuignou, B., Anoumedem, E.G.M., Kouam, S.F., Marin-Felix, Y. (2023). Four new endophytic species of Diaporthe (Diaporthaceae, Diaporthales) isolated from Cameroon. MycoKeys 99, 319–362. <https://doi.org/10.3897/mycokeys.99.110043>
11. Toklo, P.M., Ahomadegbe, M.A., Dah-Nouvlessounon, D., Jouda, J.-B., Tchegnitegni, B.T., Wouamba, S.C.N., Ahoton, D., Assogba, F.M., Tchamgoue, J., Lenta, B.N., Kouam, S.F., Baba-Moussa, L., Ladekan-Yayi, E.C., Gbenou, J.D. (2023). LC-MS identification and preliminary pharmacological study of the aqueous and ethanol extracts from *Combretum glutinosum* Perr ex DC. (Combretaceae), Clinical Complementary Medicine and Pharmacology, 100106. <https://doi.org/10.1016/j.ccmp.2023.100106>

12. Wandji, N.T., Bitchagno, G.T.M., Mawabo Kamga, I., Tchamgoue, J., Nkenfou, C.N., Lenta, B.N., Sewald, N., Kouam, S.F. (2023). Polyoxygenated Stigmastane-Type Steroids from Vernonia kotschyana Sch. Bip. ex Walp. and Their Chemophenetic Significance. *Molecules*, 28, 5278. <https://doi.org/10.3390/molecules28135278>
13. Matio Kemkuignou, B., Lambert, C., Stadler, M., Kouam S.F., Marin-Felix, Y. (2023). Unprecedented Antimicrobial and Cytotoxic Polyketides from Cultures of Diaporthe africana sp. nov. *Journal of Fungi* 9, 781. <https://doi.org/10.3390/jof9070781>
14. Toklo, P.M., Alowanou, G.G., Wouamba, S.C.N., Assogba, F.M., Ahomadegbe, M.A., Sakirgui, A., Lenta, B.N., Hounzangbe-Adote, S., Kouam, S.F., Ladekan-Yayi, E.C., Djimon, G.J. (2023). UPLC-QToF-ESI-MS identification and anthelmintic activity of Mitragyna inermis (Willd.) Kuntze (Rubiaceae). *Heliyon* 9 (6), e16448.
15. Juidzou, G.T., Anoumedem, E.G.M., Sema, D.K., Tankeu, V.F.T., Leutcha, P.B., Chimi, L.Y., Dzoyem, J.P., Kouam S.F., Sewald, N., Choudhary, M.I., Meli, L.A. (2023). A New Unsaturated Aliphatic Anhydride from Aspergillus candidus T1219W1, an Endophytic Fungus, from Pittosporum mannii Hook f.
16. Kianfé, B.Y., Tchamgoue, J., Narmani, A., Teponno, R.B., Njouonkou, A.-L., Stadler, M., Kouam, F.S. 2023. Bioactive Secondary Metabolites from Fungi of the Genus Cytospora Ehrenb. (Ascomycota). *Molecules* 28(7), 3120. <https://doi.org/10.3390/molecules28073120>
17. Nguena-Dongue, B.N., Tchamgoue, J., Ngandjui T.Y.A., Lunga, K. P., Toghueo, K.R.M., Zeuko`o, M.E., Melogmo, D.K.Y., Tchouankeu, J.C., Kouam, F.S., Fekam, B.F., 2023. Potentiation effect of mallotojaponin B on chloramphenicol and mode of action of combinations against Methicillin-resistant *Staphylococcus aureus*, Plos one, <https://doi.org/10.1371/journal.pone.0282008>
18. Jocelyne Benaille Kenne, Esther Ngo Lemba Tom, Mc Jesus Kinyok, Nyemb Nyunai, Nourdine Mohamed Kpouhou, et al. Insight into the Mechanisms Underlying the Tracheorelaxant Activities of Harungana madagascariensis Stem Barks Aqueous Extract. *Am J Biomed Sci & Res.* 2023 20(2) AJBSR.MS.ID.002686, DOI: 10.34297/AJBSR.2023.20.002686
19. Mountessou, B.Y.G., Mbobda, A.S.W., Stammler, H.-G., Akintemi, E.O., Mbah, M.B., Happi, G.M., Kouam, S.F., Lenta, B.N., Sewald, N., Singh, T., Mbouombou, I.N. (2023). X-ray crystal structure, spectroscopic analysis, computational quantum chemical and molecular docking studies of a naturally occurring sesquiterpene lactone: costunolide for inhibitor capacity against the main protease of the parasitic worm *Onchocerca volvulus*.
20. Matio Kemkuignou, B., Lambert, C., Schmidt, K., Schweizer, L., Anoumedem, E.G.M., Kouam, S. F., Stadler, M., Stradal, T., Marin-Felix, Y. (2023). Unreported cytochalasins from an acid-mediated transformation of cytochalasin J isolated from Diaporthe cf. ueckeri, *Fitoterapia* 166, 105434.
21. Mountessou, B.Y.G., Tchamgoue, J., Mouafon, I.L., Green, I.R., Choudhary, M.I., Kouam, S.F. (2023). High potential of the genus Allanblackia (Guttiferae): Phytochemistry, pharmacology, and traditional uses over the past half-century, *South African Journal of Botany* 153, 321–335.
22. Matio Kemkuignou, B., Schweizer, L., Lambert, C., Anoumedem, E. G. M., Kouam, S. F., Stadler, M., Marin-Felix, Y. (2022). New polyketides from the liquid culture of Diaporthe breyniae sp. nov. *Mycobiokeys* 90, 85–118.
23. Leutcha, B.P., Dzoyem, J.P., Jouda, J.-B., Sema, D.K., Tsague Tankeu, V.F., Bitchagno, G.T.M., Tchegnitezni, B.T., Essoung, F.R.E., Ndjakou, B.L., Kouam, S.F., Delie, F., Meli, L.A., Sewald, N. (2022). Antimicrobial and Cytotoxic Activities of Constituents from the Fruit of *Albizia lebbeck* L. Benth (Fabaceae). *Molecules*, 27, 4823. <https://doi.org/10.3390/molecules27154823>
24. Mouafon, I.L., Mountessou, B.Y.G., Lateef, M. Tchamgoue, J., Ali, M.S., Tchouankeu, J.C., Green, I.R., Ngadjui, B.T., Kouam, S.F. (2022). Atricephenols A and B, two phenolic compounds from *Indigofera atriceps* Hook.f. (Fabaceae). *Natural Product Research* 37(14), 2319–2326. <https://doi.org/10.1080/14786419.2022.2041007>

25. Tchamgoue, J., Eyado, A.N., Kamdem, B.P., Ngandjui, Y.A.T., Tchouankeu, J.C., Kouam, S.F., Mekonnen, Y. (2022). In vivo antiplasmodial properties of fractions and flavonoids of *Pseudarthria hooheri* Wight & Arn. (Fabaceae). *Natural Resources for Human Health.* 2(3):313–321.
26. Wandji, N.T., Bitchagno, G.T.M., Tchamgoue, J., Stammler, H.-G., Frese, M., Lenta, B.N., Sewald, N., Kouam, S.F. (2022). Furanocoumarins from the twigs of *Ficus chlamydocalarpa* (Moraceae). *Phytochemistry Lett.* 47, 38–41.
27. Mbougnia, J.F.T.M., Bitchagno, G.T.M., Wouamba, S.C.N., Jouda, J.-B., Awouafack, M.D., Tene, M., Lenta, B.N., Kouam, S.F., Tane, T., Sewald, N. (2022). Two new triterpenoid fatty acid esters from *Schefflera barteri* Harms (Araliaceae). *Natural Product Research* 36:8, 2085–2096.
28. Mbobda, A.S.W., Ngouonpe, A.W., Happi, G.M., Mountessou, B.Y.G., Monya, E., Jouda, J.-B., Toussie, B.T., Lenta, B.N., Sewald, N., Kouam, S.F., Tchouankeu, J.C. (2021). Pachypodostyflavone, a New 3-methoxy flavone and other constituents with antifilarial activities from the stem bark of *Duguetia staudtii*. *Planta Med Int Open* 8, e56–e61.
29. Happi, G.M., Mbobda, A.S.W., Frese, M., Kouam, S.F., Tchouankeu, J.C., Lenta, B.N., Sewald, N. (2021). A new phenylpropanoid glycoside from *Psorospermum tenuifolium* Kotschy (Hypericaceae). *Trends Phytochem. Res.* 5(1), 31–36.
30. Ladekan-Yayi, E.C., Toklo, P.M., Dah-Nouvlessounon, D., Assogba, F.M., Wouamba, S.C.N., Tchegnitezni, B.T., Alowanou, G.G., Baba-Moussa, L., Hounzangbe-Adote, S., Lenta, B.N., Kouam, S.F., Djimon, G.J. (2021). Anthelmintic and Antimicrobial Activities of Tannin Extracts of *Mitragyna inermis* (Willd.) Kuntze (Rubiaceae) and *Combretum glutinosum* Perr. ex DC (Combretaceae). *American Journal of Applied Chemistry.* 9(5), 145–153.
31. Kemayou, G.P.M., Kache, S.F., Dzouemo, L.C., Happi, G.M., Kouam, S.F., Tchouankeu, J.C., (2021). Phytochemistry, traditional uses, and pharmacology of the genus *Ekebergia* (Meliaceae): A review. *Trends Phytochem. Res.* 5(3) 2021 110–125.
32. Toklo, P.M., Yayi Ladekan, E., Linden, A., Hounzangbe-Adote, S., Kouam, S.F., Gbenou, J.D. (2021). Anthelmintic flavonoids and other compounds from *Combretum glutinosum* Perr. ex DC (Combretaceae) leaves. *Acta Cryst. C77*, doi:10.1107/S2053229621007841.
33. Menye, C., Ndom F.R., Ngabireng, C.M., Kouam, S.F. (2021). Quantum and Structural Molecular Fragment models used to predict anti-inflammatory activity *Journal of Computational Chemistry & Molecular Modeling* 5 (1), 550–560.
34. Menye, C., Ngabireng, C.M., Kouam, S.F. (2021). Study of N-Arylanthranilic Acids Derivates as the Potential Anti-Inflammatory Agents. *Der Pharmacia Lettre* 13 (6): 79–90.
35. Nguiam, M.P., Wouamba S.C.N., Longo, F., Kamkumo, R.G., Foweda, L.D.K., Dzeufiet, P.D.D., Ndjakou, B.L., Sewald, N., Boyom, F.F., Kouam, S.F., Dimo, T. (2021). Antibacterial and antishigellosis activity of *Xylopia staudtii* (engl. & diels), Annonaceae. *J. Ethnopharmacol.* 280, 114406
36. Njanpa C.A.N., Wouamba S.C.N., Yamthe L.R.T., Dize D., Tchatat B.M.T., Tsouh, P.V.F., Pouofo, M.N., Jouda, J.B., Ndjakou, B.L., Sewald, N., Kouam, S.F., Boyom, F.F. (2021). Bio-guided isolation of anti-leishmanial natural products from *Diospyros gracilescens* L. (Ebenaceae) *BMC complementary medicine and therapies* 21 (1), 106
37. Kemgni, M.F., Chenda L.B.N., Tchamgoue, J., Kenfack, P.K., Ngandjui, Y.A.T., Wouamba, S.C.N., Tiani, G.L.M., Green, I.R., Kouam, S.F. (2021). Greenwaylactams A, B and C, the First Group of Sesquiterpene Alkaloids with an Eight-Membered Lactam Ring from *Greenwayodendron oliveri*. *ChemistrySelect*, 6(7), 1705–1709.
38. Mouafon, I.L., Tiani, G.L.M., Mountessou, B.Y.G., Lateef, M. Ali, M.S., Green, I.R., Ngadjui, B.T., Kouam, S.F. (2021). Chemical constituents of the medicinal plant *Indigofera spicata* Forsk. (Fabaceae) and their chemophenetic significance. *Biochemical Systematics and Ecology* 95, 104230.
39. Mbougnia, J.F.T.M., Happi, G.M., Bitchagno, G.T.M., Awouafack, M.D., Lenta, B.N., Kouam, S.F., Tane, T., Sewald, N., Tene, M., (2021). Chemical constituents from *Ficus natalensis*

- hochst (Moraceae) and their chemophenetic significance. Biochemical Systematics and Ecology, 95, 104227
40. Happi, G.M., Mouthe Kemayou, G.P., Stammler, H.-G., Neumann, B., Ismail, M., Kouam, S.F., Wansi, J.D., Tchouankeu, J.C., Lenta B.N., Sewald, N. (2021). Three phragmalin-type limonoids orthoesters and the structure of odoratone isolated from the bark of *Entandrophragma candollei* (Meliaceae). Phytochemistry, 181, 112537.
  41. Kemayou, G.P.M., Happi, G.M., Ngadjui, Y.A.T., Tchouankeu, J.C., Sewald, N., Ali, M.S., Kouam, S.F. (2021). Senegalain, a new phenylpropanoid and other secondary metabolites from the stem bark of *Ekebergia senegalensis* A. Juss. (Meliaceae). Natural Product Research 35(21), 3694-3700.
  42. Tsague T.V.F., Sema, D., Jean-Bosco, Jouda, J.-B., Tatsono N. S.J., Akono, P., Wansi, J.D., Kouam, S.F., Yoshihito, S., Loura, B., Sewald, N., Meli, L.A. (2020). Heptacyclosordarianone, a new polyketide from *Sordaria* sp., an endophytic fungus from *Garcinia polyantha*. Natural Product Communications. doi: 10.1177/1934578X20977622
  43. Anoumedem, E. G.M., Mountessou, B.Y.G., Kouam, S.F., Narmani, A., Surup, F. (2020). Simplicilones A and B isolated from the Endophytic Fungus *Simplicillium subtropicum* SPC3. *Antibiotics*, 9, 753.
  44. Nveikoueing, F., Koga, M.D., Megnigueu, M.E., Djedoubouyom, N.E., Ndouwé, T.M.H., Kouam, S.F., Ndjonka, D. (2020). Ethnobotanical survey and anti-onchocercal activity of some medicinal plants used in Ngaoundere, Cameroon. Int. J. Mod. Biol. Res. doi.org/10.33500/ijmbr.2020.08.002
  45. Megnigueu, M.E., Nveikoueing, Francis, Ngatcha, S.Z.K., Djedoubouyom, E.N., Kouam, S.F., Ndjonka, D. 2020). Nematocidal Activity on *Onchocerca ochengi*, Toxicity and Phytochemical Screening of *Vernonia perrottetii* Sch. Bip. Ex Walp (Asteraceae) Extracts. Asian Journal of Biology. 10, 8–21.
  46. Wouamba, S.C.N., Happi, G.M., Pouofo, M.N., Tchamgoue, J., Jouda, J.-B., Longo, F., Lenta, B.N., Sewald, N., Kouam, S.F. (2020). Antibacterial flavonoids and other compounds from the aerial parts of *Vernonia guineensis* Benth. (Asteraceae)† Chemistry & Biodiversity. 17(9), e2000296.
  47. Megnigueu, E.M., Nyemb, N.J., Ngwasiri, N.N., Fanta, A.S.Y., Nveikoueing, F., Kouam, S.F., Ndjonka, D. (2020). In vitro Anthelmintic Activities of Extracts and Fractions of *Cosmos sulphureus* Cav, Against *Onchocerca ochengi*. Journal of Diseases and Medicinal Plants. 6(1), 2020, 22-30. <https://doi.org/10.11648/j.jdmp.20200601.14>
  48. Happi, G.M., Wouamba, S.C.N., Ismail, M., Kouam, S.F., Frese, M., Lenta, B.N., Sewald, N. (2020). Ergostane-type steroids from the Cameroonian “white tiama” *Entandrophragma angolense*. Steroids 156, 108584.
  49. Tchangoue, Y.A.N., Tchamgoue, J., Lunga, P.K., Knepper, J., Paltinean, R., Ibrom, K., Kouam, S.F., Schulz, S. (2020). Antibacterial phloroglucinols derivatives from the leaves of *Mallotus oppositifolius* (Geisler) Müll. Arg. (Euphorbiaceae). Fitoterapia 142, 104527.
  50. Wouamba, S.C.N., Happi, G.M., Lenta, B.N., Sewald, N., Kouam, S.F. (2020). Vernoguinamide: A new ceramide and other compounds from the root of *Vernonia guineensis* Benth. and their chemophenetic significance. Biochemical Systematics and Ecology, 88, 103988.
  51. Happi, G.M., Tiani, M.G.L., Gbetnkom, M.B.Y., Hussain, H., Green, I.R., Ngadjui, B.T., Kouam, S.F. (2020). Phytochemistry and pharmacology of *Harungana madagascariensis*: mini-Review. *Phytochemistry Letters* 35, 103–112
  52. Faraz, I., Ali, A., Ui Haq, F., Tchamgoue, J., Kouam, S.F., Miana, G.A., Musharraf, S.G. (2019). Sensitive Determination of C-Alkylated Flavonoids by HPLC-ESI-MS/MS Using Multiple Reaction Monitoring Approach: *Pseudarthria hookeri* as a Case Study. *J. Chromat. Sc.*, 1–6.
  53. Tsopgnii, W.D.T., Happi, G.M., Stammler, H-G., Neumann, B., Mbobda, A.S.W., Kouam, S.F., Frese, M., Azébazé, A.G.B., Lenta, B.LN., Sewald, N. (2019). Chemical constituents from

- the bark of the Cameroonian mahogany *Trichilia emetica* Vahl (Meliaceae). *Phytochemistry Lett.* 33, 49-54.
54. Ngouonpe, A.W., Mbobda, A.S.W., Happi, G.M., Mbiantcha, M., Tatuedom, O.K., Ali, M.S., ... & Kouam, S.F. (2019). Natural products from the medicinal plant *Duguetia staudtii* (Annonaceae). *Biochemical systematics and ecology*, 83, 22-25.
55. Ngandjui, Y.A.T., Djumyom, G.V.A., Wanda, C., Soh, E.S., Kengne, I.M., Kouam, S.F. (2018) Use of *Moringa oleifera* seed extracts to polish effluents from natural systems treating faecal sludge *Environmental Technology* 40(15), 2018-2026.
56. Happi, M.G., Tchaleu Ngadjui, B., Green, I.R., Kouam, S.F. (2018). Phytochemistry and pharmacology of the genus *Entandrophragma* over the 50 years from 1967 to 2018: a 'golden' overview. *Journal of Pharmacy and Pharmacology*, 70, 1431–1460.
57. Mountessou, B.Y.G., Tchamgoue, J., Dzoyem, J.P., Tchuenguem, R.T., Kouam, S.F. (2018). Two xanthones and two rotameric (3→8) biflavonoids from the Cameroonian medicinal plant *Allanblackia floribunda* Oliv. (Guttiferae). *Tetrahedron Lett.* 59(52) 4545-4550.
58. Ebessa, V., Tiani, G.L.M., Tchamgoue, J., Kouam, S.F., Ngadjui, B.T., Green, I.R., Choudhary, M.I., Tane, P. (2018). Alchornoic acid derivatives from the fruits of *Alchornea cordifolia* (Schumach. & Thonn.) Muell. Arg. (Euphorbiaceae). *Phytochemistry Lett.* 23, 62–65
59. Dzoyem, J.P., Tchamgoue, J., Tchouankeu, J.C., Kouam, S.F., Choudhary, M.I., Bakowsky, U. (2018). Antibacterial activity and cytotoxicity of flavonoids compounds isolated from *Pseudarthria hookeri* Wight & Arn. (Fabaceae). *South African Journal of Botany* 114,100–103
60. Happi, M.G., Talontsi, F.M., Laatsch, H., Zühlke, C., Ngadjui, B.T., Spitteler, M., Kouam, S.F., (2018). seco-Tiaminic acids B and C: Identification of two novel 3,4-seco-tirucallane triterpenoids isolated from the root of *Entandrophragma congoense* (Meliaceae). *Fitoterapia* 124, 17–22.
61. Ngo Lemba ENL, Mimba JRB, Nyunaï N, Bekono YF, Longo F, Kouam, S.F., Dimo, T.. (2018) Vasodilatory Effects of Aqueous Extract from *Harungana madagascariensis* Stem Bark in Isolated Rat Aorta: The Roles of Endothelium and K<sup>+</sup> Channels. *Am J Ethnomed* 5(8). doi: 10.21767/2348-9502.10008
62. Ngo Lemba, E.N.T., Frida, L., Nkenfou, C.N., Kouam, S.F., Savineau, J.P., Dimo, T. (2017). *Bidens pilosa* attenuates monocrotaline-induced pulmonary arterial hypertension in rats. *World J Pharm Sci.* 5(6), 286–293.
63. Tchamgoue, J., Hafizur, R.M., Tchouankeu, J.C., Kouam, S.F., Choudhary, M.I. (2016) Flavonoids and other constituents with insulin secretion activity from *Pseudarthria hookeri*. *Phytochemistry Lett.* 17, 181–186.
64. Happi, M.G., Kouam, S.F., Talontsi, F.M., Nkenfou, C., Longo, F., Ngadjui, B.T., Spitteler, M. (2015). New Dimeric naphtopyrones with antimicrobial activity from *Aspergillus niger*, an Fungal Endophyte isolated from the Cameroonian Plant *Entandrophragma* sp. *Z. Naturforsch.* 70 (9), 625–630.
65. Kuete, V., Mbaveng, A.T., Zeino, M., Ngameni, B., Kapche, G.D.W.F., Kouam, S.F., Ngadjui, B.T., Efferth, T. (2015). Cytotoxicity of two naturally occurring flavonoids (dorsmanin F and poinsettifolin B) towards multi-factorial drug-resistant cancer cells. *Phytomedicine*, 22(7-8), 737–743.
66. Hussain, H., Krohn, K., Al-Harrasi, A., Kouam, S.F., Abbas, G., Raees, M.A., Dzeha, T., Ullah, R., Zahoor, A., Shah, A., Badshah, A., Khan, A., Ali, I., Schulz, B. 2015. Microdiplanol and microdiplane: a new m-anisaldehyde and a new 24-methylcholestanol derivative from the endophytic fungus *Microdiplodia* sp. *Journal of Asian Natural Products Research*. 17, 733–737.
67. Hussain, H., Krohn, K., Al-Harrasi, A., Kouam, S.F., Abbas, G., Shah, A., Raees, M.A., Ullah, R., Aziz, S., Schulz, B. (2015). Phytochemical Investigation and Antimicrobial Activity of *Derris scandens*. *Journal of King Saud University - Science*. 27, 375–378.

68. Happi, M.G., Kouam, S.F., Talontsi, F.M., Lamshöft, M., Zühlke, S., Bauer, J.O., Strohmann, C., Spiteller, M. (2015). Minor secondary metabolites from the bark of Entandrophragma congoënsis (Meliaceae). *Fitoterapia*, 35–40.
69. Happi, M.G., Kouam, S.F., Talontsi, F.M., Lamshöft, M., Zühlke, S., Bauer, J.O., Strohmann, C., Spiteller, M. (2015). Antiplasmodial and Cytotoxic Triterpenoids from the Bark of the Cameroonian Medicinal Plant Entandrophragma congoënsis. *J. Nat. Prod.* 78(4):604-614
70. Kusari, S., Tatsumi, S.J., Zühlke, S., Talontsi, F.M., Kouam, S.F., Spiteller M. (2014). Tramadol--a true natural product? *Angewandte Chemie International Edition* 53(45), 12073–12076
71. Keugni, B.A., Longo, F., Fotio, L.A., Kouam, S.F., Dimo, T., Etoundi, L.S. (2014). Analgesic and anti-inflammatory properties of the ethyl acetate extract of *cyclodiscus gabunensis* (Mimosaceae) in rodents. *WJPPS* 3 (12), 538-1554.
72. Yapna, D.B., Talontsi, F.M., Kouam, S.F., Hussain, H., Ngadjui, B.T., Green, I.R., Krohn, K. (2014). Chemical Constituents of the seeds of *Raphia farinifera*. *Syllabus Review, Sci. Ser.* 4, 9–11.
73. Kouam, S.F., Ngouonpe, A.W., Lamshöft, M., Talontsi, F.M., Bauer, J.O., Strohmann, C., Bonaventure, B.T., Spiteller, M. (2014). Indolosesquiterpene alkaloids from the Cameroonian medicinal plant *Polyalthia oliveri* (Annonaceae). *Phytochemistry* 105, 52–59.
74. Tatuedom, K.O., Kouam, S.F., Yapna, D.B., Ngadjui, B.T., Green, I.R., Choudhary, M.I., Lantovololona, J.E.R., Michael Spiteller, M. (2014). Spiroalkaloids and coumarins from the stem bark of *Pauridiantha callicarpoides*. *Z. Naturforsch.* 69b, 69b, 747–752.
75. Chenda, L.B.N., Kouam, S.F., Lamshöft, M., Kusari, S., Talontsi, F.M., Ngadjui, B.T., M. Spiteller, M. (2014). Isolation and characterization of six labdane diterpenes and one pregnane steroid of *Turraeanthus africanus*. *Phytochemistry*. 103, 137–144.
76. Talontsi, F.M., Lamshöft, M., Douanla-Meli, C., Kouam, S.F., Spiteller, M. (2014). Antiplasmodial and Cytotoxic Dibenzofurans from *Preussia* sp. harbored in *Enantia chlorantha* Oliv. *Fitoterapia* 93C, 233–238.
77. Fotso, F.A., Longo, F., Djomeni, P.D.D., Kouam, S.F., Spiteller, M., Dongmo, A.B., Savineau, J.P. (2014). Analgesic and antiinflammatory activities of the ethyl acetate fraction of *Bidens pilosa* (Asteraceae). *Inflammopharmacol.*, 22(2), 105–114.
78. Kouam, S.F., Ngouonpe, A.W., Bullach, A., Lamshöft, M., Kuigoua, G.M., Spiteller, M. (2013). Monoterpene with antibacterial activities from a Cameroonian medicinal plant *Canthium multiflorum* (Rubiaceae). *Fitoterapia* 91, 199–204.
79. Menye, C., Ngabireng, M.C., Kouam, S.F. (2013). Prediction of anti-inflammatory activity of anthranlyc acids using Structural Molecular Fragment and topochemical models. *Der Pharmacia Lett.*, 2013, 5(6), 88–98.
80. Ngabireng, M.C., Menye, C., Kouam, S.F., Ntede N.H., Tagoudjeu J., Awono, O. (2013). Drug design and analysis In Silico of Sapelenin G, an Acyclic Triterpenoid as Potential Anti-Inflammatory. *Inter. J. Clin. Pharmacol. & Toxicol.* 2, 401, 1–8.
81. Panlilio, B.G., Macabeo, A.P.G., Knorn, M., Kohls, P., Richomme, P., Kouam, S.F., Gehle, D., Krohn, K., Franzblau, S.G., Zhang, Q., Aguinaldo, M.A.M. (2012). Erratum: A lanostane aldehyde from *Momordica charantia* *Phytochem. Lett.* 5, 682-684.
82. Panlilio, B.G., Macabeo, A.P.G., Knorn, M., Kohls, P., Richomme, P., Kouam, S.F., Gehle, D., Krohn, K., Franzblau, S.G., Zhang, Q., Aguinaldo, M.A.M. (2012). A lanostane aldehyde from *Momordica charantia*. *Phytochemistry Lett.*, 5(3), 682–684.
83. Macabeo, A.P.G., Avila, J. A., Alejandro, G. J. D., Franzblaud, S. G., Kouam, S.F., Hussain, H., Krohn, K. (2012). Villarinol, a new Alkenoyloxyalkenol Derivative from the Endemic Philippine Rubiaceae species *Villaria odorata*. *Nat. Prod. Comm.* 7 (6), 779–780.
84. Kouam, S.F., Kusari, S., Lamshöft, M., Tatuedom, O.K., Spiteller, M. (2012). Sapelenins G-J, acyclic triterpenoids with strong anti-inflammatory activities from the bark of the Cameroonian medicinal plant *Entandrophragma cylindricum*. *Phytochemistry*, 83, 79-86.

85. Tsassi, V.B., Hussain, H., Tamboue, H., Dongo, E., Kouam, S.F., Krohn, K. (2010). Pycnangloside: A New Cerebroside from Bark of *Pycnanthus angolensis*. *Nat. Prod. Comm.* 5(4), 559–561.
86. Kouam, S.F., Njonkou, Y.L.N., Kuigoua, G.M., Ngadjui, B.T., Green, I.R., Schulz, B. and Krohn, K. (2010): Psorantin, a unique dimer of vismin formed through a methylene linkage and kenganthranol E, two anthranoid derivatives from the seeds of *Psorospermum aurantiacum* (Hypericaceae). *Phytochemistry Lett.* 3, 185–189.
87. Macabeo, A.P.G., Tudla, F.A., Alejandro, G.J.D. Kouam, S.F., Hussain, H., Krohn, K. (2010): Benzoylated derivatives from *Uvaria rufa*. *Biochem. Syst. Ecol.* 38 (4), 857–860.
88. Kuigoua, G.M., Kouam, S.F., Ngadjui, B.T., Schulz, B., Green, I.R. and Krohn, K. (2010) Minor Secondary Metabolic Products from the Stem Bark of *Plumeria rubra* Linn. displaying Antimicrobial Activities. *Planta Med.* 76, 620–625.
89. Kakam, A.Z., Hussain, H., Dongo, E., Kouam, S.F., Schulz, B., Krohn, K. (2010): Cameroonemide A: a new ceramide from *Helichrysum cameroonense*. *J. Asian Nat. Prod. Res.* 12 (7), 629–633.
90. Tsassi, V.B., Hidayat, H., Meffo, B.Y., Kouam, S.F., Dongo, E., Schulz, B., Green, I.R. and Krohn, K. (2010): Antimicrobial Coumarins from the Stem Bark of *Afraegle paniculata*. *Nat. Prod. Comm.* 5(4), 559–561.
91. Wansi, J.D., Hussain, H., Tcho, A.T., Kouam, S.F., Specht, S., Sarite, S.R., Hoerauf, A. and Krohn, K. (2010): Antiplasmodial activities of furoquinoline alkaloids from *Teclea afzelii*. *Phytotherapy Res.* 24(5), 775–777.
92. Krohn, K., Kouam, S.F., Kuigoua, G.M. Hussain, H. Cludius-Brand, S., Flörke, U., Kután, T., Pescitelli, G., Draeger, S. and Schulz, B. (2009): Xanthones and New Oxepino[2,3-b]chromones from three Endophytic Fungi. *Chem. Eur. J.* 15, 12121–12132.
93. Simo, C.C.F., Kouam, S.F., Poumale, H.M.P., Simo, I.K., Ngadjui, B.T., Green, I.R., Krohn, K. (2008): Benjaminamide: A New Ceramide and other Compounds from the Twigs of *Ficus benjamina* (Moraceae). *Biochem. Syst. Ecol.* 36, 238–243.
94. Awouafack, M.D., Kouam S.F., Hussain, H., Ngamga, D., Tane, P., Schulz, B., Green, I.R., Krohn, K. (2008). Antimicrobial Prenylated Dihydrochalcones from *Eriosema glomerata*. *Planta Med.* 74, 50–54.
95. Vouffo, B., Hidayat, H., Kouam, S.F., Dongo, E., Pescitelli, G., Salvadori, P., Kurtán, T., Krohn, K. (2008) Antialactone: A New  $\gamma$ -Lactone from *Antiaris africana*, and its Absolute Configuration Determined from TDDFT CD Calculations. *Nat. Prod. Comm.* 3 (2), 215–218.
96. Krohn, K., Kouam, S.F., Cludius-Brandt, S., Draeger, S., Schulz B. (2008) Bioactive Nitronaphthalenes from an Endophytic Fungus, *Coniothyrium sp.*, and Their Chemical Synthesis. *Eur. J. Org. Chem.*, 3615–3618.
97. Vouffo, B., Krohn, K., Kouam, S.F., Hidayat, H., Dongo, E., Hu, Q., Schulz, B. (2008) Dinklagenonoate: A new isobauerane-type triterpenoid and other minor constituents from the twigs of *Dorstenia dinklagei*. *Biochem. Syst. Ecol.* 36(8), 655–658.
98. Moustafa, A.M.Y., Kouam, S. F., Kulsoom, A., Ejaz, A., Ali, S., Anjum, S., Choudhary, M. I. (2007). Phytochemical investigation and biological evaluation of *Schinus terebinthifolius*. *Res. J. Phytochemistry* 4(3), 162–172.
99. Kouam, S.F., Ngadjui, B.T., Krohn, K., and Choudhary, M. I. (2007): Thermal Rearrangement of Harunganin and Allylations of some Compounds from *Harungana madagascariensis*. *Arkivoc*, ix, 64–70.
100. Kouam, S.F., Yapna, D.B., Krohn, K., Ngadjui, B.T., Ngoupayo, J., Choudhary, M.I., Schulz, B. (2007): Antimicrobial Prenylated Anthracene Derivatives from the Leaves of *Harungana madagascariensis*. *J. Nat. Prod.* 70, 600–603.
101. Tala, M.F., Krohn, K., Hussain, H., Kouam, S.F., Wabo, H.K., Tane, P., Schulz, B., Hu, Q. (2007): Laurentixanthone C: A New Antifungal and Algicidal Xanthone from Stem bark of *Vismia laurentii*. *Z. Naturforsch.* 62b, 565–568.

102. Kapche, G.D.W.F., Laatsch, H., Fotso, S., Kouam, S. F., Wafo, P., Ngadjui, B. T., Abegaz, B. M. (2007): Lanneanol: A new cytotoxic dihydroalkylcyclohexenol and phenolic compounds from *Lannea nigritana* (Sc. Ell.) Keay. *Biochem. Syst. Ecol.* 35, 539–543.
103. Tazoo, D., Krohn, K., Hussain, H., Kouam, S.F., Dongo, E. (2007): Laportoside A and Laportomide A: A New Cerebroside and a New Ceramide from Leaves of *Laportea ovalifolia*. *Z. Naturforsch.* 62b, 1208–1212.
104. Wabo, H.K., Kouam, S.F., Krohn, K., Hussain, H., Tala, M.F., Tane, P., van Ree, T., Hu, Q., Schulz, B. (2007): Prenylated Anthraquinones and other Constituents from the Seeds of *Vismia laurentii*. *Chem. Pharm. Bull.* 55(11), 1640–1642.
105. Kouam, S.F., Khan, S. N., Krohn, K., Ngadjui, B.T., Kapche, G.W.F., Yapna, D., Zareem, S., Amal, M.Y.M., Choudhary, M.I. (2006):  $\alpha$ -Glucosidase Inhibitory Anthranols, Kenganthranols A–C, from the Stem Bark of *Harungana madagascariensis*. *J. Nat. Prod.* 69, 229–233.
106. Kouam, S.F., Ngadjui, B.T., Choudhary, M.I. Atta-Ur-Raman, Anjun, S., Shamsher, A. (2005): 10,12,12-Tris(3,3-dimethylallyl)-6,7-dihydroxy-2,2,9-trimethyl-1H-pyranopyrano[2,3-b]antrace-5(12H)-one. *Acta Cryst.* E61, 03545–03547.
107. Kouam, S.F., Ngadjui, B.T., Krohn, K., Wafo, P., Ajaz, A. Choudhary, M.I. (2005): Prenylated anthronoids antioxidant from the stem bark of *Harungana madagascariensis*. *Phytochemistry* 66(10), 1174–1179.
108. Wafo, P., Hussain, H., Kouam, S.F., Ngadjui, B.T., Flörke, U., Krohn, K. (2005): 2'-hydroxy-4,4',5',6'-tetramethoxychalcone. *Acta Cryst.*, E61, 03017–03019.
109. Elsässer, B., Krohn, K., Akhtar, M.N., Flörke, U., Kouam, S.F., Kuigoua, M.G., Ngadjui, B.T., Abegaz, B.M., Antus, S., Kurtán, T. (2005) : Revision of the Absolute Configuration of Plumericin and Isoplumericin from *Plumeria rubra*. *Chem. & Biodiversity* 2, 799–808.
110. Kouam, S.F., Florke, U., Krohn, K., Akhtar, M.N., Ngadjui, B.T., Abegaz, B.M. (2005): 3 $\beta$ -Taraxerol from *Bridelia micrantha*. *Acta Cryst.*, E61, 0599–0600.
111. Dufall, K.G., Ngadjui, B.T., Kouam, S.F., Abegaz, B.M., Croft, K.D. (2003): Antioxidant activity of prenylated flavonoids from the West African medicinal plant *Dorstenia mannii*. *J. Ethnopharmacol.* 87(1), 67–72.
112. Ngadjui, B.T., Ngameni, B., Dongo, E., Kouam, S.F., Abegaz, B.M. 2002. Prenylated and Geranylated Chalcones and Flavones from the aerial parts of *Dorstenia ciliata*. *Bull. Chem. Soc. Ethiop.*, 16 (2), 157–163.
113. Ngadjui, B.T., Kouam, S.F., Dongo, E., Kapche, G.W.F., Abegaz, B.M., 2000. Prenylated flavonoids from the aerial parts of *Dorstenia mannii*. *Phytochemistry* 55 (2), 1401–1406.
114. Ngadjui, B.T., Dongo, E., Tamboue, H., Kouam, S.F., Abegaz, B.M., 1999. Prenylated flavanones from the twigs of *Dorstenia mannii*. *Phytochemistry* 50 (2), 1401–1406.
115. Ngadjui, B.T., Abegaz, B.M., Dongo, E., Tamboue, H., Kouam, S.F. (1998): Geranylated and prenylated flavonoids from the twigs of *Dorstenia mannii*. *Phytochemistry* 48(2), 349–354.

(S. F. Kouam)